

unrivaled beauty of wood

trust

150 year heritage

fully developed technologies for creating floors, a guarantee of the quality and durability of products

made in Europe

- ✓ 5 production facilities across Europe: two in Poland, Romania, Ukraine, Croatia
- **80** countries covered by sales activity on 6 continents
- N°1 global manufacturer of natural 3-layer wooden floors with local stock in USA

■ 350 Million sqft production capacity in all flooring categories

MADE IN EUROPE

- **3600** employees
- GREEN company with unique business model



health above all

we produce only certified products





Yes Wood FLOORING

technology

3-layer cross construction

- 100% wood made from 100% natural high quality wood
- product stability very high resistance to humidity changes
- durability suitable for residential and light commercial use
- radiant heating perfect for various heating systems
- refinishable NWFA
 3 times

finishing

- **UV lacquer** excellent surface protection and easy maintenance
- lacquering after beveling no micro-damages of the finish and thus higher durability of the coating on floorboards' edges
- matte finish
 natural look of surface protected against
 abrasion, dirt and micro scratches
- brushing highlighting the natural beauty of the wood graining and bringing out its structure
- coloring
 multiple decors in variety of colors
 including double staining



wood usage

wide range of formats and designs long length, wide planks, herringbones, chevrons (check for USA availabilty)

joints

- patented quick joint 5Gc and T&G proven system for fast and easy fold down installation (check for USA availabilty)
- optilock®
 installation of classic herringbone without
 right and left plank

private label

custom-made decors
possibility in creating individual
designs and colors



quality

100% made in Europe









unique looks



stable construction



refinishable



radiant heating



warm to the touch



low emissions



IIC rated 51dB



antistatic



quick installation



variety of patterns



beveling



brushing



staining























- 1 wood protection system up to 7 layers of UV-cured acrylic lacquer
- 2 surface layer selected European sawn cut wood of the appropriate thickness, protected with a lacquer finish
- 3 middle layer
 pine wood layer arranged
 laterally to the hardwood
 surface and a bottom layer;
 prevents gaps and cracks –
 even in constantly changing
 weather conditions
- 4 quick joint 5Gc and T&G* faster and easier installation
 - *T&G available on 5" wide planks products (check for USA availabilty)
- 5 the barclick® joint fast and easy with the use of an assembly kit; high durability of the joint

6 bottom layer pine wood arranged laterally for stability









8 inch
































7 inch





 $\bullet \bullet \circ \circ \circ$

Marsala 1 Oak

Withfield Oak

 $\bullet \bullet \circ \circ \circ$

Caramel Oak



7 inch



7" x 86.6" RL



 $\bullet \bullet \circ \circ \circ$





Chestnut Oak



 $\bullet \bullet \bullet \circ \circ$



Cortina Oak



 $\bullet \bullet \circ \circ \circ$



Manchego 2 Ash



Limone 1 Ash



 $\bullet \bullet \bullet \circ \circ$



Limone 1 Ash





6 inch





**6" x 86.6"











Cappuccino Oak** ●●○○○







Chocolate Oak* Scone Oak** $\bullet \bullet \circ \circ \circ$



 $\bullet \bullet \bullet \circ \circ$









5 inch



5" x 43"









Snowflakes Oak



 $\bullet \bullet \circ \circ \circ$



Quartz Oak





Chateau Oak



Snowflakes Oak



Quartz Oak








5 inch herringbone



5" x 28.5"





 $\bullet \bullet \circ \circ \circ$

Pudding Oak

 $\bullet \bullet \circ \circ \circ$

Pudding Oak

 $\bullet \bullet \circ \circ \circ$

Trivor Oak

different character














merchandising



hand sample collection







displays

sample dimensions: 20,47" x 42,12"

displays

towers sample dimensions: 17,71" x 27,55"



logistics



ALL IN STOCK



Barlinek dimensions and packaging

Flooring type	Floorboard length [mm]	Floorboard length [inch]	Floorboard width [mm]	Floorboard width [inch]	Floorboard thickness [mm]	Floorboard thickness [inch]	Packaging type	Number of ft² in a package	Number of ft ² on pallet	Pack weight (lbs)
plank 5" T&G	1092	43	130	5	14	0.55	8 x 8 = 64 packs	10.66	682.24	18.14
herringbone 5"	725	28.5	130	5	14	0,55	8 x 8 = 64 packs	7	447.78	12.08
plank 6"	1800	70.9	155	6	14	0,55	6 x 8 = 48 packs	20.99	1,007.50	34.90
plank 6"LL	2200	86.6	155	6	14	0,55	6 x 8 = 48 packs	25.62	1,229.67	44.86
plank 7" RL ASH	2200/ 1092/725	86.6/ 43/ 28.5	180	7	14	0,55	5 x 8 = 40 packs	29.71	1,188.34	50.29
plank 7" RL OAK	2200/ 1092/725	86.6/ 43/ 28.5	180	7	14	0,55	5 x 8 = 40 packs	29.71	1,188.34	49.00
plank 8" RL	2200/ 1092/725	86.6/ 43/ 28.5	207	8	14	0,55	5 x 8 = 40 packs	34.12	1,364.86	59.75

Barlinek 40' container logistics

				within	limits		
Flooring type	Floorboard length [mm]	Floorboard length [inch]	Floorboard width [mm]	No. of pallets per container	ft² per container	No. of pallets per container	ft² per container
plank 5" T&G	1092	43	130	36	24 552	40	27 280
herringbone 5"	725	28,5	130	52	23 284	56	25 076
plank 6"	1800	70,9	155	24	24 180	24	24 180
plank 6"LL	2200	86,6	155	20	24 593	22	27 053
plank 7" RL	2200/1092/725	86.6/ 43/ 28.5	180	21	24 955	22	26 143
plank 8" RL	2200/1092/725	86.6/ 43/ 28.5	207	17	23 202	19	25 932



eco

environmental concern and a pro-ecological attitude are paramount values of the brand

pro-ecology campaigns



we plants trees

for every package of Barlinek flooring sold, we plant 1 tree; Barlinek Customers Forest is growing and today includes more than **18,000,000 trees**



we save peregrine falcons

thanks to the activity undertaken over the past few years it has been possible to return as many as **100** of these beautiful birds to the forests



we protect "Bartek" the oak

we also allocate funds to carry out the necessary renovation work to save the ancient Bartek Oak - Poland's most famous nature monument

responsible production

- we produce only certified products that meet all the high criteria, confirmed by FloorScore and TSCA certificates
- 100% of required heat energy and 60% of electricity at the Barlinek factory is covered by our own production
- greenhouse gas emissions reduced by over 70%

✓ dust emissions limited to almost zero
our filters remove 99% of dust

100%

MADE IN EUROPE

- 100% precise and thorough segregation of all waste
- we use 100% of the wood engineered wood, veneer, skirtings, pellets, briquettes, decorative bark



♥Barlinek

- vertically integrated
 full control at every production stage
- 30 years residential, 5 years commercial
- dedicated customer service and after-sales support
- experienced team
 - training for installers
 - training for sellers
 - product presentations
- stateside inventory in-stock availability, fast delivery
- full package of marketing materials dedicated catalogs, leaflets, presentations, 3d renders
- merchandising sales space design
- industry fairs and events



Barlinek USA Corp.

5881 Glenridge Drive, Suite 130, Atlanta, GA 30328

us.barlinek.com

if you want to know more

phone: 404 835 2234

email: info.usa@barlinek.com



produced exclusively from genuine wood. Because of the natural variation in the raw material, the individual floorboards and their surface may differ in color, shade, the intensity of knots and grain pattern.

Sample boards, samples, photographs and merchandising brochures may not fully correspond to the actual appearance of the product s. The color of the product delivered may be different from the material available at the point of sale.

